Author index to Volume 33, 1996

Key: CRA = Congress Review Article; GE = Guest Editorial; RA = Review Article; PV = Personal View; OA = Original Article; SR = Short Report; CR = Case Report; L = Letter

Akhtar N see Beaman JM Allaway SL see Whitehead TP Alvarez V see Ricós C

Anderson RA, McAllister WAC, Taylor A: Acute mercuric iodide poisoning 468 (CR)

Apple FS see McLaurin M Arafat N see Henry JG

Asensio M see Fernández-Fernández L

Attwell ME see Knapp ML

Aufenanger J see Bertsch T

Backer ET, Brand A: Detection of Bence-Jones protein in serum by immunoblotting 132 (OA)

Badcock NR, Szep DA: Diagnosis of erythropoietic protoporphyria using cord blood 73 (SR)

Badcock NR, Zoanetti GD: Modifications to Toxi-Lab for the routine screening for drugs in paediatric toxicology 75 (SR)

Bais R see Kee P

Ballering LAP, Bon MAM, Steffens-Nakken HM, van den Bergh FAJTM: Chemiluminescent detection of factor V Leiden in a routine laboratory 259 (SR)

Banks RE see Bertsch T Banning A, Musumeci F, Penny W, Tovey JA: Reference intervals for cardiac troponin T, creatine

kinase and creatine kinase-MB isoenzyme following coronary bypass graft surgery 561 (SR)

Barron J: Diagnosis of adrenal insuffiency 357 (L) Barron J, Rough B: Progression of patients with a borderline raised thyroid-stimulating hormone concentration 157 (SR)

Barron JL see Ibrahim S; Soper CPR

Barter PJ see Kee P

Barth JH, Fiddy JB, Payne RB: Adjustment of serum total calcium for albumin concentration: effects of non-linearity and of regression differences between laboratories 55 (OA)

Barth JH see also Payne RB Baxter MA see Knapp ML

Beaman JM, Akhtar N, Goldie DJ: Down's syndrome screening using free bhCG: instability can significantly increase the Down's risk estimate 525 (OA)

Bertsch T, Banks RE, Forbes MA, Aufenanger J, Storr M, Illingworth JM, Perren TJ, Selby PJ, Kattermann R: Phospholipase A2 activity in serum is induced during treatment with recombinant human interleukin-6 in patients with cancer 565 (SR)

Bessho F see Mashige F

Bhatnagar D see Mackness MI

Bishop JC, Dunstan FDJ, Nix ABJ, Reynolds T: Gestational dating and Down's syndrome screening 359 (L)

Blom HJ see den Heijer M Bloomfield P see Wenham PR Blundell G see Wenham PR

Bolaños JP see Clelland JD Bon MAM see Ballering LAP

Boreham CAG see Duly EB Bos GMJ see den Heijer M

Bowen J see Katz I

Bowles SA, Kurdy N, Davis AM, France MW, Marsh DR: Serum osteocalcin, total and bone-specific alkaline phosphatase following isolated tibial shaft fracture 196 (OA)

Brand A see Backer ET Brand MP see Clelland JD

Branford S see Kee P

Brattström L see Hultberg B

Briddon A: Decision support techniques for the interpretation of quantitative amino acid data 227 (OA)

Brisson-Lougarre A see Denier CJ Brodie MJ see Kilpatrick ES Broughton A see Lloyd JE

Brouwer IA see den Heijer M Bruce C, Taylor WH: Plasma histamine in patients with tropical disorders and acute asthma who exhibit eosinophilia 249 (OA)

Brux B see Jung K

Buttery JE see Chamberlain BR

Cahill DJ see Talbot WM

Callewaert M see Van Blerk M

Campbell RA, Gaffney D, Spooner RJ: Identification of a heterozygote for the silent and Kalow alleles of cholinesterase using a polymerase chain reaction technique 568 (CR)

Canepa-Anson R see Collinson PO

Chamberlain BR, Buttery JE, Pannall PR: A stable reagent mixture for the whole blood transketolase assay 352 (SR)

Chandarana I see Sampson B

Chow CC see Li JKY

Christofides J see Ranganath LR

Clelland JD, Brand MP, Bolaños JP, Surtees RAH, Land JM, Heales SJR: Age dependent changes in the cerebrospinal fluid concentration of nitrite and nitrate 71 (SR)

Cocker J see Dyne D

Cockram CS see Li JKY

Collinson PO, Hjelm CJ, Canepa-Anson R: Paradoxical high-density lipoprotein reduction induced by fenofibrate and ciprofibrate 159 (CR)

Collinson PO, Stubbs PJ: Early 'rule-in' diagnosis of acute myocardial infarction 4h post admission for rapid risk stratification by creatine kinase increment (creatine kinase change) 308 (OA)

Constantinescu MA see Sampson B

Cove DH see Malik KJ

Cox SV see Westhuyzen J

Crook D: A survey of biases in the measurement of plasma lipid and lipoprotein concentrations in 32 lipid clinics in the UK 82 (SR)

Crook M, Swaminathan R: Disorders of plasma phosphate and indications for its measurement 376 (RA)

Crook M, Tutt P, Eldridge P, Swaminathan R: A case of creatine kinase non-M activity in human plasma 167 (CR)

Cross DB see Westhuyzen J Cussons PD see Sampson B

Datta HK, Weightman DR, Gustafsson JW: Detection of an asymptomatic primary hyperthyroidism by increased urinary deoxypyridinoline excretion 357 (L)

Davis AM see Bowles SA Dean S see Malik KJ Delattre J see Gaillard O

den Heijer M, Bos GMJ, Brouwer IA, Gerrits WBJ, Blom HJ: Variability of the methionine loading test: no effect of a low protein diet 551 (OA)

Denier CJ, Vergnes HA, Brisson-Lougarre A, Grozdea JG, Fournie AE, Klaebe AG, Perie JJ: Inhibition by sodium thiophosphate and L-p-bromotetramisole of neutrophil alkaline phosphatase in normal and trisomy 21 pregnancies 215 (OA)

Dmuchowski C see Sykes E

Doherty G, Young IS: Effect of anticoagulant choice on apparent antioxidant capacity 93 (L) Duffy MJ: PSA as a marker for prostate cancer: a

critical review 511 (RA)

Duly EB, Trinick TR, Kennedy DG, Macauley D, McCrum E, Stott G, Evans AE, Sweeney K, Boreham CAG, Sharpe P: Vitamin E and exercise in the Northern Ireland population 234 (OA)

Dunstan FDJ see Bishop JC

Durrington PN see Mackness MI
Dyne D, Cocker J, Streete PJ, Flanagan RJ: Toluene,
1-butanol, ethylbenzene and xylene from Sarstedt
Monovette serum gel blood collection tubes 355

Eldridge P see Crook M Elves A see Jefferson A Evans AE see Duly EB Evans K see Laker MF

Fahy UM see Talbot WM Falconer Smith J see Wang TWM

Fernández-Fernández L, Asensio M, Tejero E, Rabadán L, Lopez L: Tumour markers in uraemia: carbohydrate antigen CA 72-4, carcinoembryonic antigen and carbohydrate antigen CA19-9 563 (SR)

Fiddy JB see Barth JH
Flanagan RJ see Dync D
Fleming SJ see Westhuyzen J
Forbes MA see Bertsch T
Fournie AE see Denier CJ
Fowler D see Hembling IM
France MW see Bowles SA
Frenneaux MP see Westhuyzen J
Friedrich W see Withold W

Fujimoto J, Hori M, Ichigo S, Tamaya T: Sex steroids regulate the expression of plasminogen activator inhibitor-1 and its mRNA in fibroblasts derived from uterine endometrium 545 (OA)

Fukuda A see Ueda K

Gaffney D see Campbell RA

Gaillard O, Gervais A, Meillet D, Delattre J, Lyon-Caen O, Schuller E: Apolipoprotein E intrathecal synthesis is decreased in multiple sclerosis patients 148 (SR)

Galley HF: Anticoagulants for total antioxidant activity assay 92 (L)

Galley HF: Effect of anticoagulant choice on apparent antioxidant capacity 93 (L)

Gama R, Norris F, Wright J, Morgan L, Hampton S, Watkins K, Marks V: The entero-insular axis in polycystic ovarian syndrome 190 (OA)

Geffner ME see Herschenfeld AA

Gerrits WBJ see den Heijer M Gervais A see Gaillard O Gibson M see Sykes E Gips CH see Huizenga JR Godsel P see Katz I Goldie DJ see Beaman JM

Grozdea JG see Denier CJ Gustafsson JW see Datta HK

Haddon A see Labib M Haddow JE see Palomaki GE Hampton S see Gama R Harlow CR see Talbot WM Harvey CJ see Johnston JD

Hata K, Tokuhiro H, Nakatsuka K, Miki T, Nishizawa Y, Morii H, Miura M: Measurement of bone-specific alkaline phosphatase by an immunoselective enzyme assay method 127 (OA)

Haynes B see Mackness MI Heales SJR see Clelland JD

Hembling IM, Pledger DR, Fowler D: An unusual case of hyperkalaemia 89 (CR)

Henke W see Jung K

Henry JG, Sobki S, Arafat N: Interference by biotin therapy on measurement of TSH and FT₄ by enzyme immunoassay on Boehringer Mannheim ES700 analyser 162 (CR)

Henry TD see McLaurin M Hermens WTh see Kragten JA Hernández A see Ricós C

Herschenfeld AA, Geffner ME: Massive hypercortisolaemia secondary to stress 164 (CR)

Hjelm CJ see Collinson PO

Holdaway IM see Mason BH

Hollis S: Analysis of method comparison studies 1 (GE)

Hollis S: Beyond the myths of difference plots 577 (L) Hori M see Fujimoto J

Horsley E see Wilkinson H

Howlett TA see Wang TWM

Huizenga JR, Gips CH, Tangerman A: The contribution of various organs to ammonia formation: a review of factors determining the arterial ammonia concentration 23 (RA) Hultberg B, Isaksson A, Lindgren A, Israelsson B, Brattström L: b-Hexosaminidase isoenzymes A and B in middle-aged and elderly subjects: determinants of plasma levels and relation to vascular disease 432 (OA)

Ibrahim S, Mojiminiyi S, Barron JL: High-performance liquid chromatographic determination of pyridinium crosslinks in serum, urine and dialysate of patients in chronic renal failure 31 (OA)

Ichigo S see Fujimoto J Illingworth JM see Bertsch T Isaksson A see Hultberg B Israelsson B see Hultberg B

Jagger CE see Kilpatrick ES

James IT, Walne AJ, Perrett D: The measurement of pyridinium crosslinks: a methodological overview 397 (RA)

Jarvie DR see Moore FML

Jefferson A, Reynolds TM, Elves A, Wierzbicki AS: Patients with recurrent renal stones have a physicochemically altered urinary Tamm-Horsfall glycoprotein profile 540 (OA)

Jiménez CV see Ricós C

Johnston JD, Harvey CJ: Serial measurements of serum creatine kinase are of most use in the exclusion of acute myocardial infarction in patients with a history of heart disease 520 (OA)

Jung K, Lein M, Schnorr D, Brux B, Henke W, Loening S: Comparison between equimolar- and skewedresponse assays of prostate specific antigen: is there an influence—on the clinical significance when measuring total serum prostate specific antigen? 209 (OA)

Kanazawa H see Mashige F Kattermann R see Bertsch T

Katz I, Godsel P, Bowen J, Wyndham L: An unusual cause of hyperglycorrhachia 84 (CR)

Kee P, Bais R, Sobecki SK, Branford S, Rye K-A, Barter PJ: Indirect sandwich enzyme-linked immunosorbent assay (ELISA) for plasma apolipoprotein E 119 (OA)

Keevil BG, Maylor PW, Rowlands D: A rapid anion exchange high-performance liquid chromatography method for the measurement of HbA₂ in whole blood 253 (OA)

Keevil BG, Nichols SP, Tierney DP: Measurement of sweat sodium using a modified enzymatic assay 459 (SR)

Kennedy DG see Duly EB

Kilpatrick ES, Jagger CE, Spooner RJ, Brodie MJ: Apolipoprotein E and epilepsy 146 (SR)

Klaebe AG see Denier CJ

Knapp ML, Manyonda IT, Attwell ME, Baxter MA: Clinically significant interference by haemoglobin F during pregnancy with the measurement of HbA1 using the Corning agar electroendosmotic technique 151 (SR)

Ko GTC see Li JKY

Kragten JA, Hermens WTh, van Dieijen-Visser MP: Cardiac troponin T release into plasma after acute myocardial infarction: only fractional recovery compared with enzymes 314 (OA)

Kurdy N see Bowles SA

Kwong PYP, Teale JD: An unusual case of growth hormone receptor deficiency syndrome 465 (CR)

Labib M, Haddon A: The adverse effects of anabolic steroids on serum lipids 263 (CR)

Labib M see also O'Hanlon M; Palfrey S

Laermans L see Van Blerk M

Laing I see Olukoga AO

Laker MF, Evans K: Analysis of apolipoproteins 5 (RA)

Lambert A see Sherwood RA

Land JM see Clelland JD

Lein M see Jung K

Li JKY, Chow CC, Yeung VTF, Ko GTC, Metreweli C, Cockram CS: Primary hyperparathyroidism complicated by osteomalacia 571 (CR)

Lindgren A see Hultberg B

Lips P see Popp-Snijders C

Lloyd JE, Broughton A, Selby C: Salivary creatinine assays as a potential screen for renal disease 428 (OA)

Loening S see Jung K

Lopez L see Fernández-Fernández L

Lowis EI, Oakey RE: Steroid sulphatase deficiency: identification of heterozygotes using hydrolysis of dehydroepiandrosterone sulphate by peripheral leucocytes 219 (OA)

Lyon-Caen O see Gaillard O

McAllister WAC see Anderson RA

Macauley D see Duly EB McCrum E see Duly EB

Mackness MI, Bhatnagar D, Weiringa G, MBewu A, Haynes B, Durrington PN: A comparative study of six commercial lipoprotein(a) assays in seventeen laboratories within the British Isles 63 (OA)

McLaurin M, Apple FS, Henry TD, Sharkey SW: Cardiac troponin I and T concentrations in patients with cocaine-associated chest pain 183 (OA)

McQueen MJ: Clinical chemistry—twilight or dawn? 271 (GE)

Makin HLJ: Origins of the sex difference in human urinary free cortisol excretion 471 (L)

Malik KJ, Wakelin K, Dean S, Cove DH, Wood PJ: Cushing's syndrome and hypothalamic-pituitary adrenal axis suppression induced by medroxyprogesterone acetate 187 (OA)

Manyonda IT see Knapp ML

Marks V see Gama R

Marsh DR see Bowles SA

Mashige F, Matsushima Y, Kanazawa H, Sakuma I, Takai N, Bessho F, Ohkubo A: Acidic catecholamine metabolites and 5-hydroxyindoleacetic acid in urine: the influence of diet 43 (OA)

Maslin DJ see Rea CA

Mason BH, Tatnell MA, Holdaway IM: Measurement of human IGF-II using Sephacryl extraction: a rapid and reliable assay method 201 (OA)

Matsushima Y see Mashige F

Maxwell SRJ see Rea CA

Maylor PW see Keevil BG MBewu A see Mackness MI Mees M see Van Blerk M Meillet D see Gaillard O

Menzel EJ, Reihsner R: Comparison of the effect of different inhibitors on the non-enzymatic glycation of rat tail tendons and bovine serum albumin 241 (OA)

Merrill J see Tetlow VA

Metreweli C see Li JKY

Miller NJ: Anticoagulants for total antioxidant activity assay 92 (L)

Minchinela J see Ricós C Mitchell R see Olukoga AO Miura M see Hata K Moiiminivi S see Ibrahim S

Moore FML, Jarvie DR, Simpson D: Comparison of polyclonal and monoclonal assays for routine screening of urines for amphetamines 78 (SR)

Morgan L see Gama R Morii H see Hata K Mould GP see Starkey BJ Musumeci F see Banning A

Nakagawa T see Ueda K Nakajima H see Ueda K Nakatsuka K see Hata K Netelenbos JC see Popp-Snijders C Newham DJ see Sherwood RA Nichols SP see Keevil BG Nishizawa Y see Hata K Nix ABJ see Bishop JC Norris F see Gama R

Oakey RE see Lowis EI

O'Halloran DJ, Wieringa G, Tsatsoulis A, Shalet SM: Increased serum lipoprotein(a) concentrations after growth hormone treatment in patients with isolated GH deficiency 330 (OA)

O'Hanlon M, Salter S, Scull D, Labib M: Neopterin levels in alcohol-dependent patients 536 (OA)

Ohkubo A see Mashige F Ohsawa N see Ueda K

Olukoga AO, Mitchell R, Walton L, Robertson WR, Laing I: Differences in serum luteinizing hormone measurements by immunoradiometric assay induced by kinetic manipulation of assay conditions are dependent on the endocrine milieu of serum 107 (OA)

Pagani F see Panteghini M

Palfrey S, Labib M: A simple HPLC method for the separation of amphetamine isomers in urine and its application in differentiating between 'street' amphetamine and prescribed D-amphetamine 344 (OA) Palomaki GE, Haddow JE: Gestational dating and

Down's syndrome screening 359 (L)

Pannall PR see Chamberlain BR

Panteghini M, Pagani F: Biological variation in urinary excretion of pyridinium crosslinks: recommendations for the optimum specimen 36 (OA)

Payne RB, Barth JH: Adjustment of serum total calcium for albumin concentration: values change with age in women but not in men 59 (OA)

Payne RB see also Barth JH
Penney MD see Wenham PR
Penny W see Banning A
Perich C see Ricós C
Perie JJ see Denier CJ
Perren TJ see Bertsch T
Perrett D see James IT
Peters TJ see Sherwood RA
Piscator: 95, 182, 269, 367, 578, 475
Pledger DR see Hembling IM

Popp-Snijders C, Lips P, Netelenbos JC: Intraindividual variation in bone resorption markers in urine 347 (SR)

Price A, Ross R: Interpretation of cortisol response to synacthen 175 (L)

Rabadán L see Fernández-Fernández L

Rae PWH see Wenham PR

Ranganath LR, Christofides J, Semple MJ: Increased mean platelet volume after oestrogen replacement therapy 555 (OA)

Rattenbury JM, Worthy E: Is the sweat test safe? Some instances of burns received during pilocarpine iontophoresis 456 (SR)

Raven P see Taylor N

Rea CA, Maxwell SRJ, Maslin DJ, Thomason HL, Thorpe GHG: Anticoagulant effects of antioxidant capacity 174 (L)

Reglinski J, Watson ID: An analytical perspective of NMR spectroscopy of biological fluids and cells 290 (RA)

Reinsner R see Menzel EJ Reinauer H see Withold W Reynolds T see Bishop JC Reynolds TM see Jefferson A

Ricós C, Serrano M, Alvarez V, Minchinela J, Perich C, Jiménez CV, Simón M, Hernández A: A practical approach to minimizing inaccuracy through traceability, using limited resources 139 (RA)

Robertson WR see Olukoga AO Robinson D see Whitehead TP Roelandt P see Van Blerk M Ross R see Price A Rough B see Barron J Rowlands D see Keevil BG Rozenski E see Van Blerk M

Rustin GJS: The clinical value of tumour markers in the management of ovarian cancer 384 (CRA)

Ryan MF, Samy A, Young J: Vigabatrin causes profound reduction in serum alanine transaminase activity 257 (SR)

Rye K-A see Kee P

Sakuma I see Mashige F Salter S see O'Hanlon M

Sampson B, Constantinescu MA, Chandarana I, Cussons PD: Severe hypocupraemia in a patient with extensive burn injuries 462 (CR)

Samy A see Ryan MF Schnorr D see Jung K Schuller E see Gaillard O Scull D see O'Hanlon M Selby C see Lloyd JE Selby PJ see Bertsch T

Semple MJ see Ranganath LR

Serrano M see Ricós C

Seth J: Standardization of protein hormone immunoassays 482 (PV)

Shalet SM see O'Halloran DJ

Sharkey SW see McLaurin M

Sharpe P see Duly EB

Sherwood RA, Lambert A, Newham DJ, Wassif WS, Peters TJ: The effect of eccentric exercise on serum creatine kinase activity in different ethnic groups. 324 (OA)

Shimizu A see Ueda K

Simón M see Ricós C

Simpson D see Moore FML

Smitz J see Van Blerk M

Sobecki SK see Kee P

Sobki S see Henry JG

Soper CPR, Xavier FR, Barron JL: A new enzymatic method for the determination of inulin 265 (L)

Spooner RJ see Campbell RA; Kilpatrick ES

Starkey BJ, Mould GP: An external quality assessment scheme for amiodarone and desethylamiodarone: initial results 154 (SR)

Steffens-Nakken HM see Ballering LAP

Stöckl D: Beyond the myths of difference plots 575 (L)

Storr M see Bertsch T

Stott G see Duly EB

Streete PJ see Dyne D

Stubbs PJ see Collinson PO

Sugita O: A new enzymatic method for the determination of inulin 265 (L)

Surtees RAH see Clelland JD

Swaminathan R see Crook M

Sweeney K see Duly EB

Sykes E, Gibson M, Dmuchowski C: Homogentisic acid interference in the measurement of urinary protein using benzethonium chloride 86 (CR)

Szep DA see Badcock NR

Takai N see Mashige F

Talbot WM, Cahill DJ, Fahy UM, Wardle PG, Harlow CR: Capillary blood collection tubes may affect serum progesterone 451 (SR)

Tamaya T see Fujimoto J

Tangerman A see Huizenga JR

Tatnell MA see Mason BH

Taylor A: Detection and monitoring of disorders of essential trace elements 486 (RA)

Taylor A see Anderson RA

Taylor N, Raven P: Origins of the sex difference in human urinary free cortisol excretion 174 (L), 471

Taylor WH see Bruce C

Teale JD see Kwong PYP

Tejero E see Fernández-Fernández L

Tetlow VA, Merrill J: Rapid determination of amphetamine stereoisomer ratios in urine by gas chromatography-mass spectroscopy 50 (OA)

Thomason HL see Rea CA Thorpe GHG see Rea CA

Tierney DP see Keevil BG

Tokuhiro H see Hata K

Tormey WP: The diagnosis and management of acute myocardial infarction-a role for biochemical markers? 477 (PV)

Tovey JA see Banning A Trinick TR see Duly EB

Tsatsoulis A see O'Halloran DJ

Tutt P see Crook M

Ueda K, Nakagawa T, Shimizu A, Nakajima H, Fukuda A. Ohsawa N: Rheumatoid factor in the serum of hepatitis C virus-infected patients: an increase in the titre during cold storage 438 (OA)

Van Blerk M, Smitz J, Rozenski E, Mees M, Roelandt P, Laermans L, Callewaert M, Van Steirteghem AC: Four radioisotopic immunoassays of free thyroxine

compared 335 (OA) van den Bergh FAJTM see Ballering LAP

van Dieijen-Visser MP see Kragten JA

Van Steirteghem AC see Van Blerk M

Vergnes HA see Denier CJ

Waise A: Clinical audit in the UK: does it have a future 369 (PV)

Wakelin K see Malik KJ

Walker SW see Wenham PR

Walne AJ see James IT

Walton L see Olukoga AO

Wang TWM, Wong MS, Falconer Smith J, Howlett TA: The use of the short tetracosactrin test for the investigation of suspected pituitary hypofunction 112 (OA)

Wardle PG see Talbot WM

Wassif WS see Sherwood RA

Watkins K see Gama R

Watson ID see Reglinski J

Weightman DR see Datta HK

Weiringa G see Mackness MI

Wenham PR, Bloomfield P, Blundell G, Penney MD, Rae PWH, Walker SW: Familial defective apolipoprotein B-100: a study of patients from lipid clinics in Scotland and Wales 443 (OA)

Westhuyzen J, Cross DB, Cox SV, Frenneaux MP, Fleming SJ: Urinary protein excretion following coronary angiography using a non-ionic radiocontrast agent 349 (SR)

White GH: Accreditation: the Australian experience 273 (CRA)

Whitehead TP, Robinson D, Allaway SL: The effects of cigarette smoking and alcohol consumption on blood lipids: a dose-related study on men 99 (OA)

Whitehead TP, Robinson D, Allaway SL: The effects of cigarette smoking and alcohol consumption on serum liver enzyme activities: a dose-related study in men 530 (OA)

Wieringa G see O'Halloran DJ Wierzbicki AS see Jefferson A

Wilkinson H: Haemochromatosis associated with arthritis and hypopituitarism 171 (CR): erratum 366

Wilkinson H, Horsley E: Changes in markers of bone collagen turnover in toxic and euthyroid states: a study of 22 patients 454 (SR)

Withold W, Friedrich W, Reinauer H: Comparison of biochemical markers of bone resorption in patients with metabolic and malignant bone diseases 421 (OA)

Wood PJ see Wang TWM
Wood PJ see Malik KJ
Worthy E see Rattenbury JM
Wright J see Gama R
Wyndham L see Katz I

Xavier FR see Soper CPR

Yeung VTF see Li JKY Young IS see Doherty G Young J see Ryan MF

Zilva JF: Book reviews 265 (L) Zoanetti GD see Badcock NR

Subject index to Volume 33, 1996

Key: CRA = Congress Review Article; GE = Guest Editorial; RA = Review Article; PV = Personal View; OA = Original Article; SR = Short Report; CR = Case Report; L = Letter

Accreditation, Accreditation: the Australian experience 273 (CRA)

Acidic catecholamine metabolites, Acidic catecholamine metabolites and 5-hydroxyindoleacetic acid in urine: the influence of diet 43 (OA)

Acute phase reaction, Phospholipase A2 activity in serum is induced during treatment with recombinant human interleukin-6 in patients with cancer 565 (SR)

Adrenal insufficiency, Diagnosis of adrenal insufficiency 357 (L)

Age dependent changes, Age dependent changes in the cerebrospinal fluid concentration of nitrite and nitrate 71 (SR)

Alanine aminotransferase, The effects of cigarette smoking and alcohol consumption on serum liver enzyme activities: a dose-related study in men 530 (OA)

Alanine transaminase activity, Vigabatrin causes profound reduction in serum alanine transaminase activity 257 (SR)

Albumin

Adjustment of serum total calcium for albumin concentration: effects of non-linearity and of regression differences between laboratories 55 (OA)

Adjustment of serum total calcium for albumin concentration: values change with age in women but not in men 59 (OA)

Comparison of the effect of different inhibitors on the non-enzymatic glycation of rat tail tendons and bovine serum albumin 241 (OA)

Alcohol

Neopterin levels in alcohol-dependent patients 536 (OA)

The effects of cigarette smoking and alcohol consumption on blood lipids: a dose-related study on men 99 (OA)

The effects of cigarette smoking and alcohol consumption on serum liver enzyme activities: a dose-related study in men 530 (OA)

Alkaline phosphatase

Inhibition by sodium thiophosphate and L-pbromotetramisole of neutrophil alkaline phosphatase in normal and trisomy 21 pregnancies 215 (OA)

Measurement of bone-specific alkaline phosphatase by an immunoselective enzyme assay method 127 (OA)

Serum osteocalcin, total and bone-specific alkaline phosphatase following isolated tibial shaft fracture 196 (OA)

Alkaptonuria, Homogentisic acid interference in the measurement of urinary protein using benzethonium chloride 86 (CR)

Alphafetoprotein, Down's syndrome screening using free β hCG: instability can significantly increase the Down's risk estimate 525 (OA)

Amino acid, Decision support techniques for the interpretation of quantitative amino acid data 227 (OA)

Aminoguanidine, Comparison of the effect of different inhibitors on the non-enzymatic glycation of rat tail tendons and bovine serum albumin 241 (OA)

Amiodarone, An external quality assessment scheme for amiodarone and desethylamiodarone: initial results 154 (SR)

Ammonia, The contribution of various organs to ammonia formation: a review of factors determining the arterial ammonia concentration 23 (RA)

Amphetamine abuse

Comparison of polyclonal and monoclonal assays for routine screening of urines for amphetamines 78 (SR)

Rapid determination of amphetamine stereoisomer ratios in urine by gas chromatography-mass spectroscopy 50 (OA)

Amphetamine isomers, A simple HPLC method for the separation of amphetamine isomers in urine and its application in differentiating between 'street' amphetamine and prescribed D-amphetamine 344 (OA)

Amphetamine stereoisomer ratios, Rapid determination of amphetamine stereoisomer ratios in urine by gas chromatography-mass spectroscopy 50 (OA)

Amphetamines, Comparison of polyclonal and monoclonal assays for routine screening of urines for amphetamines 78 (SR)

Amplification refractory mutagenesis, Identification of a heterozygote for the silent and Kalow alleles of cholinesterase using a polymerase chain reaction technique 568 (CR)

Anabolic steroids, The adverse effects of anabolic steroids on serum lipids 263 (CR)

Anion exchange, A rapid anion exchange highperformance liquid chromatography method for the measurement of HbA₂ in whole blood 253 (OA) Anticoagulant(s)

Anticoagulant effects of antioxidant capacity 174
(L)

Anticoagulants for total antioxidant activity assay 92 (L)

Effect of anticoagulant choice on apparent antioxidant capacity 93 (L)

Antioxidant activity assay, Anticoagulants for total antioxidant activity assay 92 (L)

Antioxidant capacity
Anticoagulant effects of antioxidant capacity 174

Effect of anticoagulant choice on apparent antioxidant capacity 93 (L) Apolipoprotein B-100, Familial defective apolipoprotein B-100: a study of patients from lipid clinics in Scotland and Wales 443 (OA)

Apolipoprotein E

Apolipoprotein E and epilepsy 146 (SR)

Apolipoprotein E intrathecal synthesis is decreased in multiple sclerosis patients 148 (SR)

Indirect sandwich enzyme-linked immunosorbent assay (ELISA) for plasma apolipoprotein E 119 (OA)

Apolipoproteins, Analysis of apolipoproteins 5 (RA)

Arginine, Comparison of the effect of different

inhibitors on the non-enzymatic glycation of rat tail tendons and bovine serum albumin 241 (OA)

ARMS, Identification of a heterozygote for the silent and Kalow alleles of cholinesterase using a polymerase chain reaction technique 568 (CR) Arthritis, Haemochromatosis associated with arthritis

and hypopituitarism 171 (CR)

Aspartate aminotransferase, The effects of cigarette smoking and alcohol consumption on serum liver enzyme activities: a dose-related study in men 530 (OA)

Asthma, Plasma histamine in patients with tropical disorders and acute asthma who exhibit eosinophilia 249 (OA)

Australia, Accreditation: the Australian experience 273 (CRA)

Bence-Jones protein, Detection of Bence-Jones protein in serum by immunoblotting 132 (OA)

Benign prostate hyperplasia, Comparison between equimolar- and skewed-response assays of prostate specific antigen: is there an influence on the clinical significance when measuring total serum prostate specific antigen? 209 (OA)

Benzethonium chloride, Homogentisic acid interference in the measurement of urinary protein using

benzethonium chloride 86 (CR)

Biological variation

A comparative study of six commercial lipoprotein(a) assays in seventeen laboratories within the British Isles 63 (OA)

Biological variation in urinary excretion of pyridinium crosslinks: recommendations for the opti-

mum specimen 36 (OA)

Biotin therapy, Interference by biotin therapy on measurement of TSH and FT₄ by enzyme immunoassay on Boehringer Mannheim ES700 analyser 162 (CR)

Boehringer Mannheim ES700 analyser, Interference by biotin therapy on measurement of TSH and FT₄ by enzyme immunoassay on Boehringer Mannheim ES700 analyser 162 (CR)

Bone collagen

Changes in markers of bone collagen turnover in toxic and euthyroid states: a study of 22 patients 454 (SR)

High-performance liquid chromatographic determination of pyridinium crosslinks in serum, urine and dialysate of patients in chronic renal failure 31 (OA)

Bone metastases, Comparison of biochemical markers of bone resorption in patients with metabolic and malignant bone diseases 421 (OA)

Bone resorption

Biological variation in urinary excretion of pyridinium crosslinks: recommendations for the optimum specimen 36 (OA)

Comparison of biochemical markers of bone resorption inpatients with metabolic and malignant bone diseases 421 (OA)

Intra-individual variation in bone resorption markers in urine 347 (SR)

Bone-specific alkaline phosphatase, Measurement of bone-specific alkaline phosphatase by an immunoselective enzyme assay method 127 (OA)

Bone turnover, Detection of an asymptomatic primary hyperthyroidism by increased urinary deoxypyridinoline excretion 357 (L)

Book review, Reply by letter 265 (L)

Book reviews

Betteridge DJ, editor. Baillière's clinical endocrinology and metabolism: Dyslipidaemia, 1995 365

Campbell AK. Rubicon—the fifth dimension of biology, 1994 363

Cowan JA, editor. The biological chemistry of magnesium, 1995 364

Delves PJ. Antibody applications—essential techniques, 1995 362

Durrington P. Hyperlipidaemia: diagnosis and management, 2nd edn, 1995 177

Fagin JA, editor. Baillière's clinical endocrinology and metabolism: Pituitary tumours, 1995 267

Georges RJ. Worked-calculations in clinical biochemistry, 1995 365

Gosling JP, Basso LV, editors. Immunoassay laboratory analysis and clinical application, 1994 179

Holton JB. The inherited metabolic diseases, 2nd edn, 1994 178

Kricka LJ, editor. Nonisotopic probing, blotting and sequencing, 2nd edn, 1995 473

Lawrence E, editor. Henderson's dictionary of biological terms, 11th edn, 1995 362

Marshall WJ. Clinical chemistry, 3rd end, 1995 363
 Moncada S, Feelisch M, Busse R, Higgs EA, editors.
 The biology of nitric oxide. Part 3: Physiological and clinical aspects. Part 4: Enzymology, biochemistry and immunology, 1994 178

Rice-Evans C, Bruckdorfer KR, editors. Oxidative stress, lipoproteins and cardiovascular dysfunc-

tion, 1995 181

Soldin SJ, Rifai N, Hicks JMB, editors. Biochemical basis of paediatric disease, 2nd edn, 1992 268

Strike PW. Measurement of laboratory medicine: a primer on control and interpretation, 1996 267

Thakker RV, editor. Baillière's clinical endocrinology and metabolism -genetic and molecular biological aspects of endocrine disease, 1995

Voet D, Voet JG. Biochemistry, 2nd edn, 1995 180 Wood EJ. The biochemical basis of biology. Vol 3: Manipulating DNA (Video), 1994 177

Bromotetramisole, Inhibition by sodium thiophosphate and L-p-bromotetramisole of neutrophil alkaline phosphatase in normal and trisomy 21 pregnancies 215 (OA)

Burns

- Is the sweat test safe? Some instances of burns received during pilocarpine iontophoresis 456 (SR)
- Severe hypocupraemia in a patient with extensive burn injuries 462 (CR)
- 1-Butanol, Toluene, 1-butanol, ethylbenzene and xylene from Sarstedt Monovette serum gel blood collection tubes 355 (SR)
- CA 125, The clinical value of tumour markers in the management of ovarian cancer 284 (CRA)

Calcium

- Adjustment of serum total calcium for albumin concentration: effects of non-linearity and of regression differences between laboratories 55 (OA)
- Adjustment of serum total calcium for albumin concentration: values change with age in women but not in men 59 (OA)
- Capillary blood collection tubes, Capillary blood collection tubes may affect serum progesterone 451 (SR)
- Carcinoembryonic antigen, Tumour markers in uraemia: carbohydrate antigen CA 72-4, carcinoembryonic antigen and carbohydrate antigen CA 19-9 563 (SR)
- Cardiac troponin I and T concentrations, Cardiac troponin I and T concentrations in patients with cocaine-associated chest pain 183 (OA)
- Cerebrospinal fluid glucose, An unusual cause of hyperglycorrhachia 84 (CR)
- Chelation, Acute mercuric iodide poisoning 468 (CR)
 Chemiluminescent detection, Chemiluminescent detection of factor V Leiden in a routine laboratory 259 (SR)
- Chest pain, Serial measurements of serum creatine kinase are of most use in the exclusion of acute myocardial infarction in patients with a history of heart disease 520 (OA)
- Cholesterol, A survey of biases in the measurement of plasma lipid and lipoprotein concentrations in 32 lipid clinics in the UK 82 (SR)
- Cholinesterase, Identification of a heterozygote for the silent and Kalow alleles of cholinesterase using a polymerase chain reaction technique 568 (CR)
- Ciprofibrate, Paradoxical high-density lipoprotein reduction induced by fenofibrate and ciprofibrate 159 (CR)
- Clinical analysis, An analytical perspective of NMR spectroscopy of biological fluids and cells 290 (RA)
- Clinical audit, Clinical audit in the UK: does it have a future? 369 (PV)
- Clinical chemistry, Clinical chemistry—twilight or dawn? 271 (GE)
- Cocaine-associated chest pain, Cardiac troponin I and T concentrations in patients with cocaine-associated chest pain 183 (OA)
- Cold storage, Rheumatoid factor in the serum of hepatitis C virus-infected patients: an increase in the titre during cold storage 438 (OA)

Collagen

- Changes in markers of bone collagen turnover in toxic and euthyroid states: a study of 22 patients 454 (SR)
- High-performance liquid chromatographic determination of pyridinium crosslinks in serum, urine and dialysate of patients in chronic renal failure 31 (OA)

Collagen crosslinks

- The measurement of pyridinium crosslinks: a methodological overview 397 (RA) see also: Pyridinium crosslinks
- Collagen structure, Comparison of the effect of different inhibitors on the non-enzymatic glycation of rat tail tendons and bovine serum albumin 241 (OA)

Comparison studies

- A comparative study of six commercial lipoprotein(a) assays in seventeen laboratories within the British Isles 63 (OA)
- Analysis of method comparison studies 1 (GE)
- Comparison of polyclonal and monoclonal assays for routine screening of urines for amphetamines 78 (SR)
- Computerized knowledge based systems, Decision support techniques for the interpretation of quantitative amino acid data 227 (OA)
- Copper, Detection and monitoring of disorders of essential trace elements 486 (RA)
- Corning agar electroendosmotic technique, Clinically significant interference by haemoglobin F during pregnancy with the measurement of HbA1 using the Corning agar electroendosmotic technique 151 (SR)
- Coronary angiography, Urinary protein excretion following coronary angiography using a non-ionic radiocontrast agent 349 (SR)
- Coronary bypass graft surgery, Reference intervals for cardiac troponin T, creatine kinase and creatine kinase-MB isoenzyme following coronary bypass graft surgery 561 (SR)
- Cortisol excretion, Origins of the sex difference in human urinary free cortisol excretion 174 (L), 471
- Cortisol response, Interpretation of cortisol response to synacthen 175 (L)

Creatine kinase

- A case of creatine kinase non-M activity in human plasma 167 (CR)
- Cardiac troponin T release into plasma after acute myocardial infarction: only fractional recovery compared with enzymes 314 (OA)
- Reference intervals for cardiac troponin T, creatine kinase and creatine kinase-MB isoenzyme following coronary bypass graft surgery 561 (SR)
- Serial measurements of serum creatine kinase are of most use in the exclusion of acute myocardial infarction in patients with a history of heart disease 520 (OA)
- The diagnosis and management of acute myocardial infarction—a role for biochemical markers? 477 (PV)
- The effect of eccentric exercise on serum creatine kinase activity in different ethnic groups 324 (OA)

Creatine kinase-MB

Serial measurements of serum creatine kinase are of most use in the exclusion of acute myocardial infarction in patients with a history of heart disease 520 (OA)

The diagnosis and management of acute myocardial infarction-a role for biochemical markers? 477

Creatine kinase-MB isoenzyme. Reference intervals for cardiac troponin T, creatine kinase and creatine kinase-MB isoenzyme following coronary bypass graft surgery 561 (SR)

Creatine kinase-myoglobin, Early 'rule-in' diagnosis of acute myocardial infarction 4h post admission for rapid risk stratification by creatine kinase increment (creatine kinase change) 308 (OA)

Creatinine assays, Salivary creatinine assays as a potential screen for renal disease 428 (OA)

Cryoglobulin, Rheumatoid factor in the serum of hepatitis C virus-infected patients: an increase in the titre during cold storage 438 (OA)

Cryptand, Measurement of sweat sodium using a modified enzymatic assay 459 (SR)

Cushing's syndrome, Cushing's syndrome and hypothalamic-pituitary adrenal axis suppression induced by medroxyprogesterone acetate 187 (OA)

Cystic fibrosis

Is the sweat test safe? Some instances of burns received during pilocarpine iontophoresis 456

Measurement of sweat sodium using a modified enzymatic assay 459 (SR)

Cytokine, Phospholipase A2 activity in serum is induced during treatment with recombinant human interleukin-6 in patients with cancer 565 (SR)

Dehydroepiandrosterone sulphate, Steroid sulphatase deficiency: identification of heterozygotes using hydrolysis of dehydroepiandrosterone sulphate by peripheral leucocytes 219 (OA)

Delfia system, Down's syndrome screening using free BhCG: instability can significantly increase the

Down's risk estimate 525 (OA)

Deoxypyridinoline

Detection of an asymptomatic primary hyperthyroidism by increased urinary deoxypyridinoline excretion 357 (L)

High-performance liquid chromatographic determination of pyridinium crosslinks in serum, urine and dialysate of patients in chronic renal failure 31 (OA)

The measurement of pyridinium crosslinks: a methodological overview 397 (RA)

Deoxypyridinoline cross-link, Intra-individual variation in bone resorption markers in urine 347 (SR)

Desethylamiodarone, An external quality assessment scheme for amiodarone and desethylamiodarone: initial results 154 (SR)

Dialysis, Acute mercuric iodide poisoning 468 (CR) Diet, Acidic catecholamine metabolites and 5-hydroxyindoleacetic acid in urine: the influence of diet 43 (OA)

Difference plots, Beyond the myths of difference plots

3,4-Dihydroxyphenylacetic acid, Acidic catecholamine metabolites and 5-hydroxyindoleacetic acid in urine: the influence of diet 43 (OA)

Down's syndrome

Down's syndrome screening using free β hCG: instability can significantly increase the Down's risk estimate 525 (OA)

Gestational dating and Down's syndrome screening

Drug screening, Modifications to Toxi-Lab for the routine screening for drugs in paediatric toxicology

Drugs of abuse. A simple HPLC method for the separation of amphetamine isomers in urine and its application in differentiating between 'street' amphetamine and prescribed D-amphetamine 344 (OA)

Dyslipoproteinaemias, Analysis of apolipoproteins 5

Eccentric exercise, The effect of eccentric exercise on serum creatine kinase activity in different ethnic

Electrocardiography, Early 'rule-in' diagnosis of acute myocardial infarction 4h post admission for rapid risk stratification by creatine kinase increment (creatine kinase change) 308 (OA)

ELISA, Indirect sandwich enzyme-linked immunosorbent assay (ELISA) for plasma apolipoprotein E 119

EMIT immunoassays, Comparison of polyclonal and monoclonal assays for routine screening of urines for amphetamines 78 (SR)

Endometrial fibroblast, Sex steroids regulate the expression of plasminogen activator inhibitor-1 and its mRNA in fibroblasts derived from uterine endometrium 545 (OA)

Entero-insular axis, The entero-insular axis in polycystic ovarian syndrome 190 (OA)

Eosinophilia, Plasma histamine in patients with tropical disorders and acute asthma who exhibit eosinophilia 249 (OA)

Epilepsy, Apolipoprotein E and epilepsy 146 (SR) Erratum 366

Erythropoietic protoporphyria, Diagnosis of erythropoietic protoporphyria using cord blood 73 (SR)

Ethnicity, The effect of eccentric exercise on serum creatine kinase activity in different ethnic groups 324

Ethylbenzene, Toluene, 1-butanol, ethylbenzene and xylene from Sarstedt Monovette serum gel blood collection tubes 355 (SR)

Exercise

The effect of eccentric exercise on serum creatine kinase activity in different ethnic groups 324 (OA) Vitamin E and exercise in the Northern Ireland population 234 (OA)

Factor V Leiden, Chemiluminescent detection of factor V Leiden in a routine laboratory 259 (SR)

Familial defective apolipoprotein B-100, Familial defective apolipoprotein B-100: a study of patients from lipid clinics in Scotland and Wales 443 (OA)

Fenofibrate, Paradoxical high-density lipoprotein reduction induced by fenofibrate and ciprofibrate 159 (CR)

Fluorescence immunoassay, Capillary blood collection tubes may affect serum progesterone 451 (SR)

Folate, Variability of the methionine loading test: no effect of a low protein diet 551 (OA)

Free thyroxine, Four radioisotopic immunoassays of free thyroxine compared 335 (OA)

Fructokinase, A new enzymatic method for the determination of inulin 265 (L)

β Galactosidase, Measurement of sweat sodium using a modified enzymatic assay 459 (SR)

Gamma glutamyl transferase, The effects of cigarette smoking and alcohol consumption on serum liver enzyme activities: a dose-related study in men 530 (OA)

Gas chromatography-mass spectroscopy

Comparison of polyclonal and monoclonal assays for routine screening of urines for amphetamines 78 (SR)

Rapid determination of amphetamine stereoisomer ratios in urine by gas chromatography-mass spectroscopy 50 (OA)

Gestational dating, Gestational dating and Down's syndrome screening 359 (L)

Glucose, An unusual cause of hyperglycorrhachia 84 (CR)

Glycation end products, Comparison of the effect of different inhibitors on the non-enzymatic glycation of rat tail tendons and bovine serum albumin 241 (OA)

Gonadotrophins, Standardization of protein hormone immunoassays 482 (PV)

Growth hormone deficiency, Increased serum lipoprotein(a) concentrations after growth hormone treatment in patients with isolated GH deficiency 330 (OA)

Growth hormone receptor deficiency syndrome, An unusual case of growth hormone receptor deficiency syndrome 465 (CR)

Haemochromatosis, Haemochromatosis associated with arthritis and hypopituitarism 171 (CR)

Haemodialysis

High-performance liquid chromatographic determination of pyridinium crosslinks in serum, urine and dialysate of patients in chronic renal failure 31 (OA)

Tumour markers in uraemia: carbohydrate antigen CA 72-4, carcinoembryonic antigen and carbohy-

drate antigen CA 19-9 563 (SR)

Haemoglobin F, Clinically significant interference by haemoglobin F during pregnancy with the measurement of HbA1 using the Corning agar electroendosmotic technique 151 (SR)

HbA₂, A rapid anion exchange high-performance liquid chromatography method for the measurement

of HbA2 in whole blood 253 (OA)

HbS, A rapid anion exchange high-performance liquid chromatography method for the measurement of HbA₂ in whole blood 253 (OA)

Heart disease, Serial measurements of serum creatine kinase are of most use in the exclusion of acute myocardial infarction in patients with a history of heart disease 520 (OA)

Heparinized blood, Anticoagulants for total antiox-

idant activity assay 92 (L)

Hepatic encephalopathy, The contribution of various organs to ammonia formation: a review of factors

determining the arterial ammonia concentration 23

Hepatitis C virus, Rheumatoid factor in the serum of hepatitis C virus-infected patients: an increase in the titre during cold storage 438 (OA)

β-Hexosaminidase, β-Hexosaminidase isoenzymes A and B in middle-aged and elderly subjects: determinants of plasma levels and relation to vascular disease 432 (OA)

High-density lipoprotein

A survey of biases in the measurement of plasma lipid and lipoprotein concentrations in 32 lipid clinics in the UK 82 (SR)

Paradoxical high-density lipoprotein reduction induced by fenofibrate and ciprofibrate 159 (CR)

High-density lipoprotein cholesterol, The adverse effects of anabolic steroids on serum lipids 263 (CR)

High-density lipoprotein, see also; Apolipoprotein(s): Lipoprotein(s)

High-field NMR spectroscopy, An analytical perspective of NMR spectroscopy of biological fluids and cells 290 (RA)

High-performance liquid chromatography

A rapid anion exchange high-performance liquid chromatography method for the measurement of HbA₂ in whole blood 253 (OA)

A simple HPLC method for the separation of amphetamine isomers in urine and its application in differentiating between 'street' amphetamine and prescribed D-amphetamine 344 (OA)

High-performance liquid chromatographic determination of pyridinium crosslinks in serum, urine and dialysate of patients in chronic renal failure 31 (OA)

The measurement of pyridinium crosslinks: a methodological overview 397 (RA)

Histamine, Plasma histamine in patients with tropical disorders and acute asthma who exhibit eosinophilia 249 (OA)

Homocysteine, Variability of the methionine loading test: no effect of a low protein diet 551 (OA)

Homogentisic acid interference, Homogentisic acid interference in the measurement of urinary protein using benzethonium chloride 86 (CR)

Homovanillic acid, Acidic catecholamine metabolites and 5-hydroxyindoleacetic acid in urine: the influence of diet 43 (OA)

Hormone replacement therapy, Increased mean platelet volume after oestrogen replacement therapy 555 (OA)

Human chorionic gonadotrophin β , Down's syndrome screening using free β hCG: instability can significantly increase the Down's risk estimate 525 (OA) 5-Hydroxyindoleacetic acid, Acidic catecholamine metabolites and 5-hydroxyindoleacetic acid in urine: the influence of diet 43 (OA)

Hypercalcaemia, Primary hyperparathyroidism complicated by osteomalacia 571 (CR)

Hypercholesterolaemia, Familial defective apolipoprotein B-100: a study of patients from lipid clinics in Scotland and Wales 443 (OA)

Hypercortisolaemia, Massive hypercortisolaemia secondary to stress 164 (CR)

Hyperglycorrhachia, An unusual cause of hyperglycorrhachia 84 (CR)

Hyperkalaemia, An unusual case of hyperkalaemia 89 (CR)

Hyperparathyroidism, Primary hyperparathyroidism complicated by osteomalacia 571 (CR)

Hyperthyroidism, Detection of an asymptomatic primary hyperthyroidism by increased urinary deoxypyridinoline excretion 357 (L)

Hypocupraemia, Severe hypocupraemia in a patient with extensive burn injuries 462 (CR)

Hypopituitarism, Haemochromatosis associated with arthritis and hypopituitarism 171 (CR)

Hypothalamic-pituitary adrenal axis, Cushing's syndrome and hypothalamic-pituitary adrenal axis suppression induced by medroxyprogesterone acetate 187 (OA)

Hypothyroidism, Progression of patients with a borderline raised thyroid-stimulating hormone concentration 157 (SR)

Ibuprofen, Comparison of the effect of different inhibitors on the non-enzymatic glycation of rat tail tendons and bovine serum albumin 241 (OA)

Immunoassays, Four radioisotopic immunoassays of free thyroxine compared 335 (OA)

Immunoblotting

Detection of Bence-Jones protein in serum by immunoblotting 132 (OA)

Patients with recurrent renal stones have a physicochemically altered urinary Tamm-Horsfall glycoprotein profile 540 (OA)

Immunochemical methods, Analysis of apolipoproteins 5 (RA)

Immunoradiometric assay, Differences in serum luteinizing hormone measurements by immunoradiometric assay induced by kinetic manipulation of assay conditions are dependent on the endocrine milieu of serum 107 (OA)

Immunoselective enzyme assay, Measurement of bonespecific alkaline phosphatase by an immunoselective enzyme assay method 127 (OA)

In vitro fertilization, Capillary blood collection tubes may affect serum progesterone 451 (SR)

Inaccuracy, A practical approach to minimizing inaccuracy through traceability, using limited resources 139 (RA)

Indirect sandwich ELISA, Indirect sandwich enzymelinked immunosorbent assay (ELISA) for plasma apolipoprotein E 119 (OA)

Insulin-like growth factor

An unusual case of growth hormone receptor deficiency syndrome 465 (CR)

Measurement of human IGF-II using Sephacryl extraction: a rapid and reliable assay method 201 (OA)

Interleukin-6, Phospholipase A2 activity in serum is induced during treatment with recombinant human interleukin-6 in patients with cancer 565 (SR)

International standards, Standardization of protein hormone immunoassays 482 (PV)

Inulin, A new enzymatic method for the determination of inulin 265 (L)

Iohexol, Urinary protein excretion following coronary angiography using a non-ionic radiocontrast agent 349 (SR)

Isoenzymes, β-Hexosaminidase isoenzymes A and B in middle-aged and elderly subjects: determinants of plasma levels and relation to vascular disease 432 (OA)

Jaffé method, Salivary creatinine assays as a potential screen for renal disease 428 (OA)

Kalow allele, Identification of a heterozygote for the silent and Kalow alleles of cholinesterase using a polymerase chain reaction technique 568 (CR)

L-p-bromotetramisole, Inhibition by sodium thiophosphate and L-p-bromotetramisole of neutrophil alkaline phosphatase in normal and trisomy 21 pregnancies 215 (OA)

Laboratory results

A comparative study of six commercial lipoprotein(a) assays in seventeen laboratories within the British Isles 63 (OA)

Adjustment of serum total calcium for albumin concentration: effects of non-linearity and of regression differences between laboratories 55 (OA)

Laboratory standards, Accreditation: the Australian experience 273 (CRA)

Laron-type dwarfism, An unusual case of growth hormone receptor deficiency syndrome 465 (CR)

Leukaemia, An unusual case of hyperkalaemia 89 (CR) Lipid concentration, A survey of biases in the measurement of plasma lipid and lipoprotein concentrations in 32 lipid clinics in the UK 82 (SR)

Lipid fractions, Increased serum lipoprotein(a) concentrations after growth hormone treatment in patients with isolated GH deficiency 330 (OA)

Lipids

The adverse effects of anabolic steroids on serum lipids 263 (CR)

The effects of cigarette smoking and alcohol consumption on blood lipids: a dose-related study on men 99 (OA)

Lipoprotein(a)

A comparative study of six commercial lipoprotein(a) assays in seventeen laboratories within the British Isles 63 (OA)

Increased serum lipoprotein(a) concentrations after growth hormone treatment in patients with isolated GH deficiency 330 (OA)

Lipoproteins

A survey of biases in the measurement of plasma lipid and lipoprotein concentrations in 32 lipid clinics in the UK 82 (SR)

Analysis of apolipoproteins 5 (RA)

see also; Apolipoprotein(s): High-density lipoprotein.

Liver, The contribution of various organs to ammonia formation: a review of factors determining the arterial ammonia concentration 23 (RA)

Liver enzyme activities, The effects of cigarette smoking and alcohol consumption on serum liver enzyme activities: a dose-related study in men 530 (OA)

Liver function tests

 β -Hexosaminidase isoenzymes A and B in middleaged and elderly subjects: determinants of plasma levels and relation to vascular disease 432 (OA)

Vigabatrin causes profound reduction in serum alanine transaminase activity 257 (SR)

Low protein diet, Variability of the methionine loading test: no effect of a low protein diet 551 (OA)

Luteinizing hormone, Differences in serum luteinizing hormone measurements by immunoradiometric assay induced by kinetic manipulation of assay conditions are dependent on the endocrine milieu of serum 107 (OA)

Manganese, Detection and monitoring of disorders of essential trace elements 486 (RA)

Measurements, Analysis of method comparison studies 1 (GE)

Medroxyprogesterone acetate, Cushing's syndrome and hypothalamic-pituitary adrenal axis suppression induced by medroxyprogesterone acetate 187 (OA)

Mercuric iodide poisoning, Acute mercuric iodide poisoning 468 (CR)

Methionine loading test, Variability of the methionine loading test: no effect of a low protein diet 551 (OA)

Method comparison studies, Analysis of method

comparison studies 1 (GE)

Monoclonal antibodies, Standardization of protein hormone immunoassays 482 (PV)

Monoclonal assays, Comparison of polyclonal and monoclonal assays for routine screening of urines

for amphetamines 78 (SR)

mRNA, Sex steroids regulate the expression of plasminogen activator inhibitor-1 and its mRNA in fibroblasts derived from uterine endometrium 545 (OA)

Multiple sclerosis, Apolipoprotein E intrathecal synthesis is decreased in multiple sclerosis patients 148 (SR)

Myocardial infarction

Cardiac troponin I and T concentrations in patients with cocaine-associated chest pain 183 (OA)

Cardiac troponin T release into plasma after acute myocardial infarction: only fractional recovery compared with enzymes 314 (OA)

Early 'rule-in' diagnosis of acute myocardial infarction 4h post admission for rapid risk stratification by creatine kinase increment (creatine kinase change) 308 (OA) Serial measurements of serum creatine kinase are of most use in the exclusion of acute myocardial infarction in patients with a history of heart disease 520 (OA)

The diagnosis and management of acute myocardial infarction—a role for biochemical markers? 477

PV

Myoglobin, The diagnosis and management of acute myocardial infarction—a role for biochemical markers? 477 (PV)

N-terminal cross-linked telopeptide, Intra-individual variation in bone resorption markers in urine 347 (SR)

Neopterin, Neopterin levels in alcohol-dependent patients 536 (OA)

Neutrophil alkaline phosphatase, Inhibition by sodium thiophosphate and L-p-bromotetramisole of neutrophil alkaline phosphatase in normal and trisomy 21 pregnancies 215 (OA)

Nitrate, Nitric oxide, Nitrite, Age dependent changes in the cerebrospinal fluid concentration of nitrite and

nitrate 71 (SR)

Non-enzymatic glycation, Comparison of the effect of different inhibitors on the non-enzymatic glycation of rat tail tendons and bovine serum albumin 241 (OA)

Nuclear magnetic resonance spectroscopy, An analytical perspective of NMR spectroscopy of biological fluids and cells 290 (RA)

Osteocalcin, Serum osteocalcin, total and bone-specific alkaline phosphatase following isolated tibial shaft fracture 196 (OA)

Osteomalacia, Primary hyperparathyroidism complicated by osteomalacia 571 (CR)

Osteoporosis

Detection of an asymptomatic primary hyperthyroidism by increased urinary deoxypyridinoline excretion 357 (L) Intra-individual variation in bone resorption mar-

kers in urine 347 (SR)

Ovarian cancer, The clinical value of tumour markers in the management of ovarian cancer 284 (CRA)

Ovary, The entero-insular axis in polycystic ovarian syndrome 190 (OA)

Paediatric toxicology, Modifications to Toxi-Lab for the routine screening for drugs in paediatric toxicology 75 (SR)

PAI-1, Sex steroids regulate the expression of plasminogen activator inhibitor-1 and its mRNA in fibroblasts derived from uterine endometrium 545 (OA)

Parenteral nutrition, An unusual cause of hyperglycorrhachia 84 (CR)

Peripheral leucocytes, Steroid sulphatase deficiency: identification of heterozygotes using hydrolysis of dehydroepiandrosterone sulphate by peripheral leucocytes 219 (OA)

Peroxynitrite, Age dependent changes in the cerebrospinal fluid concentration of nitrite and nitrate

71 (SR)

Phosphate, Disorders of plasma phosphate and indications for its measurement 376 (RA)

Phospholipase A2 isoenzymes, Phospholipase A2 activity in serum is induced during treatment with recombinant human interleukin-6 in patients with cancer 565 (SR)

Pilocarpine iontophoresis, Is the sweat test safe? Some instances of burns received during pilocarpine

iontophoresis 456 (SR)

Pilocarpine stimulation, Measurement of sweat sodium using a modified enzymatic assay 459 (SR)

Pituitary hypofunction, The use of the short tetracosactrin test for the investigation of suspected pituitary hypofunction 112 (OA)

Plasma phosphate, Disorders of plasma phosphate and indications for its measurement 376 (RA)

Plasminogen activator inhibitor-1, Sex steroids regulate

Plasminogen activator inhibitor-1, Sex steroids regulate the expression of plasminogen activator inhibitor-1 and its mRNA in fibroblasts derived from uterine endometrium 545 (OA)

Platelet membrane fatty acids, Increased mean platelet volume after oestrogen replacement therapy 555

(OA)

Poisoning, Modifications to Toxi-Lab for the routine screening for drugs in paediatric toxicology 75 (SR)

Polyclonal assays, Comparison of polyclonal and monoclonal assays for routine screening of urines for amphetamines 78 (SR)

Polycystic ovarian syndrome

Differences in serum luteinizing hormone measurements by immunoradiometric assay induced by kinetic manipulation of assay conditions are dependent on the endocrine milieu of serum 107 (OA)

The entero-insular axis in polycystic ovarian syn-

drome 190 (OA)

Polymerase chain reaction, Identification of a heterozygote for the silent and Kalow alleles of cholinesterase using a polymerase chain reaction technique 568 (CR)

Porphyrins, Diagnosis of erythropoietic protoporphyria using cord blood 73 (SR)

Prognance

Clinically significant interference by haemoglobin F during pregnancy with the measurement of HbA1 using the Corning agar electroendosmotic technique 151 (SR)

Inhibition by sodium thiophosphate and L-pbromotetramisole of neutrophil alkaline phosphatase in normal and trisomy 21 pregnancies 215 (OA)

Proficiency testing, Standardization of protein hormone immunoassays 482 (PV)

Progesterone, Capillary blood collection tubes may affect serum progesterone 451 (SR)

Prostate cancer, Comparison between equimolar- and skewed-response assays of prostate specific antigen: is there an influence on the clinical significance when measuring total serum prostate specific antigen? 209 (OA)

Prostate specific antigen

Comparison between equimolar- and skewed-response assays of prostate specific antigen: is there an influence on the clinical significance when measuring total serum prostate specific antigen? 209 (OA)

PSA as a marker for prostate cancer: a critical review 511 (RA)

Protein

Homogentisic acid interference in the measurement of urinary protein using benzethonium chloride 86 (CR)

Urinary protein excretion following coronary angiography using a non-ionic radiocontrast agent 349 (SR)

Protein hormone immunoassays, Standardization of protein hormone immunoassays 482 (PV)

Protoporphyrin, Diagnosis of erythropoietic protoporphyria using cord blood 73 (SR)

PSA-inhibitor complexes, PSA as a marker for prostate cancer: a critical review 511 (RA)

Pseudohyperkalaemia, An unusual case of hyperkalaemia 89 (CR)

Pyridinium crosslinks

Biological variation in urinary excretion of pyridinium crosslinks: recommendations for the optimum specimen 36 (OA)

Comparison of biochemical markers of bone resorption in patients with metabolic and malignant bone diseases 421 (OA)

High-performance liquid chromatographic determination of pyridinium crosslinks in serum, urine and dialysate of patients in chronic renal failure 31 (OA)

The measurement of pyridinium crosslinks: a methodological overview 397 (RA)

Quality assessment, An external quality assessment scheme for amiodarone and desethylamiodarone: initial results 154 (SR)

Quality assurance, A practical approach to minimizing inaccuracy through traceability, using limited resources 139 (RA)

Quality control, A survey of biases in the measurement of plasma lipid and lipoprotein concentrations in 32 lipid clinics in the UK 82 (SR)

Racial variation, The effect of eccentric exercise on serum creatine kinase activity in different ethnic groups 324 (OA)

Radiocontrast agent, Urinary protein excretion following coronary angiography using a non-ionic radiocontrast agent 349 (SR)

Radioisotopic immunoassays, Four radioisotopic immunoassays of free thyroxine compared 335 (OA)

Reference ranges

Adjustment of serum total calcium for albumin concentration: effects of non-linearity and of regression differences between laboratories 55 (OA)

Adjustment of serum total calcium for albumin concentration: values change with age in women but not in men 59 (OA)

Age dependent changes in the cerebrospinal fluid concentration of nitrite and nitrate 71 (SR)

Standardization of protein hormone immunoassays 482 (PV)

Renal calculi, Patients with recurrent renal stones have a physico-chemically altered urinary Tamm-Horsfall glycoprotein profile 540 (OA)

Renal disease, Salivary creatinine assays as a potential

screen for renal disease 428 (OA)

Renal failure, High-performance liquid chromatographic determination of pyridinium crosslinks in serum, urine and dialysate of patients in chronic renal failure 31 (OA)

Renal osteodystrophy, High-performance liquid chromatographic determination of pyridinium crosslinks in serum, urine and dialysate of patients in chronic

renal failure 31 (OA)

Renal transplantation, Comparison of biochemical markers of bone resorption inpatients with metabolic and malignant bone diseases 421 (OA)

Rheumatoid factor, Rheumatoid factor in the serum of hepatitis C virus-infected patients: an increase in the titre during cold storage 438 (OA)

Salivary creatinine assays, Salivary creatinine assays as a potential screen for renal disease 428 (OA)

Sarstedt Monovette, Toluene, 1-butanol, ethylbenzene and xylene from Sarstedt Monovette serum gel blood collection tubes 355 (SR)

Schistosomiasis, Plasma histamine in patients with tropical disorders and acute asthma who exhibit eosinophilia 249 (OA)

Selenium

Detection and monitoring of disorders of essential trace elements 486 (RA)

Severe hypocupraemia in a patient with extensive burn injuries 462 (CR)

Sephacryl extraction, Measurement of human IGF-II using Sephacryl extraction: a rapid and reliable assay method 201 (OA)

Serum total calcium

Adjustment of serum total calcium for albumin concentration: effects of non-linearity and of regression differences between laboratories 55 (OA)

Adjustment of serum total calcium for albumin concentration: values change with age in women

but not in men 59 (OA)

Sex steroids, Sex steroids regulate the expression of plasminogen activator inhibitor-1 and its mRNA in fibroblasts derived from uterine endometrium 545 (OA)

Short synacthen test, Diagnosis of adrenal insufficiency 357 (L)

Sialoprotein, Patients with recurrent renal stones have a physico-chemically altered urinary Tamm-Horsfall glycoprotein profile 540 (OA)

Smoking

The effects of cigarette smoking and alcohol consumption on blood lipids: a dose-related study on men 99 (OA)

The effects of cigarette smoking and alcohol consumption on serum liver enzyme activities: a dose-related study in men 530 (OA)

Sodium thiophosphate, Inhibition by sodium thiophosphate and L-p-bromotetramisole of neutrophil alkaline phosphatase in normal and trisomy 21 pregnancies 215 (OA)

Spectroscopy, An analytical perspective of NMR spectroscopy of biological fluids and cells 290 (RA)

Steroid sulphatase deficiency, Steroid sulphatase deficiency: identification of heterozygotes using hydrolysis of dehydroepiandrosterone sulphate by peripheral leucocytes 219 (OA)

Stress, Massive hypercortisolaemia secondary to stress 164 (CR)

Strongyloidiasis, Plasma histamine in patients with tropical disorders and acute asthma who exhibit eosinophilia 249 (OA)

Sweat test

Is the sweat test safe? Some instances of burns received during pilocarpine iontophoresis 456 (SR)

Measurement of sweat sodium using a modified enzymatic assay 459 (SR)

Synacthen

Diagnosis of adrenal insufficiency 357 (L)

Interpretation of cortisol response to synacthen 175 (L)

The use of the short tetracosactrin test for the investigation of suspected pituitary hypofunction 112 (OA)

T lymphocyte, Neopterin levels in alcohol-dependent patients 536 (OA)

Tamm-Horsfall glycoprotein profile, Patients with recurrent renal stones have a physico-chemically altered urinary Tamm-Horsfall glycoprotein profile 540 (OA)

Target values, A practical approach to minimizing inaccuracy through traceability, using limited resources 139 (RA)

Tetracosactrin test, The use of the short tetracosactrin test for the investigation of suspected pituitary hypofunction 112 (OA)

Thalassaemia β, A rapid anion exchange highperformance liquid chromatography method for the measurement of HbA₂ in whole blood 253 (OA)

Thiamine status, A stable reagent mixture for the whole blood transketolase assay 352 (SR)

Thrombolysis, The diagnosis and management of acute myocardial infarction—a role for biochemical markers? 477 (PV)

Thyroid-stimulating hormone

Interference by biotin therapy on measurement of TSH and FT₄ by enzyme immunoassay on Boehringer Mannheim ES700 analyser 162 (CR)

Progression of patients with a borderline raised thyroid-stimulating hormone concentration 157 (SR)

Thyrotoxicosis, Changes in markers of bone collagen turnover in toxic and euthyroid states: a study of 22 patients 454 (SR)

Thyroxine

Four radioisotopic immunoassays of free thyroxine compared 335 (OA)

Interference by biotin therapy on measurement of TSH and FT₄ by enzyme immunoassay on Boehringer Mannheim ES700 analyser 162 (CR)

Tibial shaft fracture, Serum osteocalcin, total and bone-specific alkaline phosphatase following isolated tibial shaft fracture 196 (OA)

Toluene, Toluene, 1-butanol, ethylbenzene and xylene from Sarstedt Monovette serum gel blood collection tubes 355 (SR)

Total antioxidant activity assay

Anticoagulants for total antioxidant activity assay 92 (L)

Effect of anticoagulant choice on apparent antioxidant capacity 93 (L)

Toxi-Lab, Modifications to Toxi-Lab for the routine screening for drugs in paediatric toxicology 75 (SR) Trace elements, Detection and monitoring of disorders

of essential trace elements 486 (RA)

Traceability, A practical approach to minimizing inaccuracy through traceability, using limited resources 139 (RA)

Transketolase, A stable reagent mixture for the whole blood transketolase assay 352 (SR)

Triglycerides

A survey of biases in the measurement of plasma lipid and lipoprotein concentrations in 32 lipid clinics in the UK 82 (SR)

An unusual cause of hyperglycorrhachia 84 (CR)
Trisomy 21 pregnancy, Inhibition by sodium thiophosphate and L-p-bromotetramisole of neutrophil
alkaline phosphatase in normal and trisomy 21

pregnancies 215 (OA)

Tropical disorders, Plasma histamine in patients with tropical disorders and acute asthma who exhibit eosinophilia 249 (OA)

Troponin T

Cardiac troponin T release into plasma after acute myocardial infarction: only fractional recovery compared with enzymes 314 (OA)

Reference intervals for cardiac troponin T, creatine kinase and creatine kinase-MB isoenzyme following coronary bypass graft surgery 561 (SR)

The diagnosis and management of acute myocardial infarction—a role for biochemical markers? 477 (PV)

Tumour markers

The clinical value of tumour markers in the management of ovarian cancer 284 (CRA)

Tumour markers in uraemia: carbohydrate antigen CA 72-4, carcinoembryonic antigen and carbohydrate antigen CA 19-9 563 (SR) Tumour necrosis factor, Phospholipase A2 activity in serum is induced during treatment with recombinant human interleukin-6 in patients with cancer 565 (SR)

Ultraviolet spectrophotometry, Modifications to Toxi-Lab for the routine screening for drugs in paediatric toxicology 75 (SR)

Uraemia, Tumour markers in uraemia: carbohydrate antigen CA 72-4, carcinoembryonic antigen and carbohydrate antigen CA 19-9 563 (SR)

Urinary free cortisol excretion, Origins of the sex difference in human urinary free cortisol excretion 174 (L), 471 (L)

Uromodulin, Patients with recurrent renal stones have a physico-chemically altered urinary Tamm-Horsfall glycoprotein profile 540 (OA)

Vanillic acid, Acidic catecholamine metabolites and 5hydroxyindoleacetic acid in urine: the influence of diet 43 (OA)

Vanillylmandelic acid, Acidic catecholamine metabolites and 5-hydroxyindoleacetic acid in urine: the influence of diet 43 (OA)

Vascular disease, β -Hexosaminidase isoenzymes A and B in middle-aged and elderly subjects: determinants of plasma levels and relation to vascular disease 432 (OA)

Vigabatrin, Vigabatrin causes profound reduction in serum alanine transaminase activity 257 (SR)

Vitamin B₁₂, Variability of the methionine loading test: no effect of a low protein diet 551 (OA)

Vitamin E, Vitamin E and exercise in the Northern Ireland population 234 (OA)

Women, Adjustment of serum total calcium for albumin concentration: values change with age in women but not in men 59 (OA)

Xylene, Toluene, 1-butanol, ethylbenzene and xylene from Sarstedt Monovette serum gel blood collection tubes 355 (SR)

Zinc

Detection and monitoring of disorders of essential trace elements 486 (RA)

Severe hypocupraemia in a patient with extensive burn injuries 462 (CR)

